

New Jersey Division of HIV/AIDS Services
Persons Living with HIV/AIDS as of June 30, 2004
Asian/Pacific Islander NJ Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	----	---	----	---	----	---
AIDS-Any OI	43	20	0	.	43	20
AIDS-CD4 Only	59	28	0	.	59	28
HIV Only	108	51	0	.	108	51
-----	----	---	----	---	----	---
Total	210	100	0	.	210	100

2. Age *			3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
Cases	%			Cases	%	Cases	%	Cases	%
-----	----	---	-----	----	---	----	---	----	---
<5	0	0	White, Not Hispanic	0	0	0	.	0	0
5-12	0	0	Black, Not Hispanic	0	0	0	.	0	0
13-19	0	0	Hispanic	0	0	0	.	0	0
20-29	18	9	Other/Unknown	210	100	0	.	210	100
30-39	63	30	-----	----	---	----	---	----	---
40-49	84	40	Total	210	100	0	.	210	100
50+	45	21							
Unk.	0	0							
-----	----	---							
Total	210	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	----	---	----	---	----	---
Men sex with men (MSM)	52	34	0	0	52	25
Injection drug user (IDU)	14	9	7	12	21	10
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	#	#	#	#	#	#
Risk not reported/other***	58	38	27	46	85	40
-----	----	---	----	---	----	---
Total	151	100	59	100	210	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	----	---	----	---	----	---
Parent at risk/has AIDS/HIV	0	.	0	.	0	.
Risk not reported/other***	0	.	0	.	0	.
-----	----	---	----	---	----	---
Total	0	.	0	.	0	.

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

* Classification based on current age at the end of June 2004.

** 0 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2004
Asian/Pacific Islander NJ Residents

1. Disease Category	Adult/Adolescent*		Deaths (%)	Pediatric*		Deaths (%)	Total	
	Cases	(%)		Cases	(%)		Cases	(%)
PCP	#	(#)	#	(#)	#	(#)	52	(28)
Other OI w/o PCP	59	(32)	33	(61)	0	(0)	59	(32)
KS Alone	#	(#)	#	(#)	#	(#)	5	(3)
No Disease Listed	71	(38)	12	(21)	0	(0)	71	(38)
Total	185	(100)	83	(51)	#	(#)	187	(100)

2. Age *	Cases		3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
Under 5	#	#	White, Not Hispanic	0	0	0	0	0	0
5-12	#	#	Black, Not Hispanic	0	0	0	0	0	0
13-19	#	#	Hispanic	0	0	0	0	0	0
20-29	23	12	Other/Unknown	#	#	#	#	187	100
30-39	84	45							
40-49	54	29	Total	#	#	#	#	187	100
Over 49	21	11							
Unknown	0	0							
Total	187	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
Men sex with men (MSM)	48	35	0	0	48	26
Injection drug user (IDU)	12	9	8	17	20	11
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	#	#	#	#	#	#
Risk not reported/other***	56	41	23	49	79	43
Total	138	100	47	100	185	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	0	0	0	0	0	0
Total	#	#	#	#	#	#

indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.

* Classification at time of AIDS diagnosis.

** 0 patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2004
Asian/Pacific Islander NJ Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1985	#	#	#
1985	#	#	#
1986	#	#	#
1987	#	#	#
1988	7	6	86%
1989	#	#	#
1990	8	8	100%
1991	7	7	100%
1992	15	11	73%
1993	12	9	75%
1994	14	5	36%
1995	23	12	52%
1996	16	#	#
1997	7	0	0%
1998	10	#	#
1999	10	#	#
2000	14	#	#
2001	11	#	#
2002	8	0	0%
2003	9	0	0%
2004	#	#	#
-----	-----	-----	-----
Total	187	85	45%

New Jersey Division of HIV/AIDS Services
HIV INFECTION-not-AIDS Reports with Identifiers Reported as of June 30, 2004
Asian/Pacific Islander NJ Residents

1. Age *	Cases		2. Race/Ethnicity	Adult/Adl*		Pediatric*		Total	
	-----	---		-----	---	-----	---	-----	---
Under 5	#	#	White, Not Hispanic	0	0	0	0	0	0
5-12	0	0	Black, Not Hispanic	0	0	0	0	0	0
13-19	#	#	Hispanic	0	0	0	0	0	0
20-29	30	27	Other/Unknown	#	#	#	#	#	#
30-39	47	42	-----	-----	---	-----	---	-----	---
40-49	21	19	Total	#	#	#	#	111	100
Over 49	11	10							
Unknown	0	0							
-----	-----	---							
Total	111	100							

3. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	29	37	0	0	29	26
Injection drug user (IDU)	#	#	#	#	#	#
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	#	#	#	#	26	24
Risk not reported/other***	29	37	13	41	42	38
-----	-----	---	-----	---	-----	---
Total	78	100	32	100	110	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	0	.	0	0	0	0
Risk not reported/other***	0	.	#	#	#	#
-----	-----	---	-----	---	-----	---
Total	0	.	#	#	#	#

* Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.

indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

** 0 patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

New Jersey Division of HIV/AIDS Services
HIV/AIDS Cases Reported as of June 30, 2004
Asian/Pacific Islander NJ Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	#	#	#	#	116	39
AIDS-CD4 Only	71	24	0	0	71	24
HIV Only	#	#	#	#	111	37
-----	-----	---	-----	---	-----	---
Total	295	100	#	#	298	100

2. Age *	Cases	%	3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
-----	-----	---	-----	Cases	%	Cases	%	Cases	%
Under 5	#	#	White, Not Hispanic	0	0	0	0	0	0
5-12	#	#	Black, Not Hispanic	0	0	0	0	0	0
13-19	5	2	Hispanic	0	0	0	0	0	0
20-29	59	20	Other/Unknown	#	#	#	#	298	100
30-39	127	43	-----	-----	---	-----	---	-----	---
40-49	72	24	Total	#	#	#	#	298	100
Over 49	32	11							
Unknown	0	0							
-----	-----	---							
Total	298	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	77	36	0	0	77	26
Injection drug user (IDU)	19	9	12	15	31	11
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	#	#	#	#	#	#
Risk not reported/other***	85	39	36	46	121	41
-----	-----	---	-----	---	-----	---
Total	216	100	79	100	295	100

	Pediatric Transmission Modes				Total	%
	Males	%	Females	%		
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	0	0	#	#	#	#
-----	-----	---	-----	---	-----	---
Total	#	#	#	#	#	#

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

* Classification at time of first HIV+/AIDS diagnosis.

** 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
HIV/AIDS Cases Reported as of June 30, 2004
Asian/Pacific Islander NJ Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis	Number of Cases	Number Known Dead	Case-Fatality Rate
-----	-----	-----	-----
Before 1985	#	#	#
1985	#	#	#
1986	#	#	#
1987	6	#	#
1988	8	7	88%
1989	16	8	50%
1990	9	8	89%
1991	14	9	64%
1992	24	8	33%
1993	16	6	38%
1994	11	6	55%
1995	28	10	36%
1996	19	#	#
1997	17	0	0%
1998	18	#	#
1999	14	#	#
2000	25	#	#
2001	19	#	#
2002	18	0	0%
2003	22	0	0%
2004	6	0	0%
-----	-----	-----	-----
Total	298	88	30%